

Texture Sprayers

Graco's Complete Line of Professional Texture Sprayers



There is nothing like a Graco[®] sprayer.

Quality. Performance. Durability. Productivity.

Graco TexSpray[™] family of products deliver on all counts and provide substantial benefits to the professional texture contractor. Each TexSpray model boasts plenty of user-friendly features and broad performance capabilities. Graco has a TexSpray model for spraying nearly every application! When you choose Graco, you know that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the USA with global components and imported Honda® engines. We do!







What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best texture sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVENQUALITY

100% factory-tested and field-proven design, coupled with cutting-edge technology, keep Graco sprayers performing reliably on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures the highest quality finish for every job.

INDUSTRY-LEADINGWARRANTY

Every Graco texture sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

UNMATCHED PRODUCTIVITY

Exclusive Endurance™ pumps deliver long life and reliable performance, while the Endurance Advantage Program eliminates downtime by enabling you to always have a spare pump on hand or quick job site change-out.

For patent information see www.graco.com/patents.



Graco TexSpray:

The Leader in Texture Sprayers

As a world leader in fluid handling technology, Graco has been building the very best, most reliable industry-leading texture sprayers for over 25 years. No matter your texture spraying requirements—air-driven, gas mechanical, electric airless, gas airless, or gas hydraulic—Graco has your **Total Job** *Solution* for you.

Table of Contents

Texture Application Guide
RTX™ Texture Sprayers
HTX™ Gas Mechanical Texture Sprayers
Air-Powered Texture Sprayers
Choose the Right Model and Series of Airless Sprayer
Mark Electric Airless Sprayers
HD Gas-Powered Airless Sprayers
DutyMax™ Hydraulic Airless Sprayers
Endurance Advantage Program
Warranty
Accessories
Specifications



Texture Application Guide

Get the Interior and Exterior Finish You Want!

With the widest selection of texture models to choose from and a host of performance enhancing accessories, there is a TexSpray texture sprayer to help you complete your projects—no matter what finish you desire.

INTERIOR TEXTURE

Simulated Acoustic (Popcorn)



Orange Peel, Fine Splatter



Splatter



COMMONLY USED MATERIALS

- Ceiling Spray Textures Containing Polystyrene or Vermiculite Aggregate (Fine, Medium, Coarse)
- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures
- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures

SPRAYER RECOMMENDATIONS



Hopper Gun RTX 1400sı RTX 2000PI RTX 5000PI **GTX 2000**EX Mark IV™* Mark V™* Mark X 240 Volt™* 5900 HD* 7900 HD* HTX 2030 DutyMax GH 230pi* DutyMax GH 300pi*

Hopper Gun RTX 1400sı RTX 2000pi RTX 5000pi GTX 2000EX Mark IV* Mark V* Mark X 240 Volt* 5900 HD* 7900 HD* HTX 2030 DutyMax GH 230pi* DutyMax GH 300pi*

Mark X

DutyMax DutyMax

PRODUCTIVITY

TEXTURE ACCESSORIES

WideTex™ Kit (Part #245142) Use with RTX 1500, GTX 2000EX

Siphon Kit (Part #248112) Use with GTX 2000EX

Air Line Kit (Part #248117) Use with GTX 2000EX

WideTex Kit (Part #245142) Use with RTX 1500, GTX 2000EX

Siphon Kit (Part #248112)) Use with GTX 2000EX

Air Line Kit (Part #248117) Use with GTX 2000EX

Air Atomizer Kit (Part #244223) Use with Mark IV, Mark V, 5900 HD, 7900 HD

25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030

55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt, 7900 HD

WideTex Kit (Part #245142) Use with RTX 1500, GTX 2000EX

Siphon Kit (Part #248112) Use with GTX 2000EX

Air Line Kit (Part #248117) Use with GTX 2000EX

Air Atomizer Kit (Part #244223) Use with Mark IV, Mark V, 5900 HD

25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030

55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt, 7900 HD

Air Line Kit (Part #248117) Use with GTX 2000Ex, DutyMax GH 230pi*, DutyMax GH 300pi*

^{*}User supplied air compressor and Air Atomizer Kit (Part # 244223) required for this application.

EXTERIOR TEXTURE

Knockdown



Smooth, Level 5 and Skim Coat



Textured Acrylics and Elastomerics



EIFS and Synthetic Stucco Finish Coats



Deck Coatings



All-Purpose Joint Compounds

- Lightweight Joint Compounds
- Wall and Ceiling
- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling
- Skim Coat Materials

COMMONLY USED MATERIALS

- Textured Acrylic Materials
- Textured Elastomeric Materials
- Textured Acrylic Materials Used as the Final Coat in a Multi-layered Wall System
- Decorative and Anti-Skid **Deck Coatings**

Spray Textures

opper Gun

RTX 1400si

RTX 2000PI

TX 5000pi

TX 2000ex

Mark IV*

Mark V*

240 Volt*

5900 HD*

7900 HD* HTX 2030 GH 230di*

GH 300di*

- Spray Textures
- Wall Surfacing Materials

SPRAYER RECOMMENDATIONS



Hopper Gun RTX 5000px RTX 5500px Use with aggregates up to 3 mm GTX 2000EX Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.5 mm 10:1 President Use with aggregates up to 2.5 mm

Hopper Gun RTX 5000px RTX 5500px Use with aggregates up to 3 mm GTX 2000EX Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.5 mm 10:1 President Use with aggregates up to 2.5 mm

Hopper Gun RTX 5000px RTX 5500px Use with aggregates up to 3 mm

PRODUCTIVITY



Air Atomizer Kit (Part #244223) Use with Mark IV, Mark V, 5900 HD

25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD. 7900 HD, HTX 2030, DutyMax GH 230or*. DutyMax GH 300pi*

55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt. 7900 HD.

HTX 2030, **DutyMax** GH 230DI*. **DutyMax** GH 300_{DI}*

25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 230DI*, DutyMax GH 300DI*

55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt, 7900 HD, DutyMax GH 230oi*, DutyMax GH 300oi*

High Pressure Pump Kit (Part #24B140) Use with HTX 2030

TEXTURE ACCESSORIES

WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000EX

WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000EX WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000EX



WHAT'S NEW? 5 ALL-NEW RTX MODELS!

RotoFlex™ & RotoFlex II Pump



The Proven "One-Piece Pump" that *Always* Delivers!

- Graco's exclusive flow-through design provides a smooth material flow for uniform coverage and and consistent spray pattern – everytime!
- Unmatched durability with abrasive materials
- Long-life design is exceptionally easy to maintain
- Easy to flush, with no parts to rust



SmartStart™ System



Time-Saving Auto Start/Stop with Soft Start

- Automatically starts and stops sprayer when trigger is pulled – If you're not spraying, it's not running!
- Automatic pressure un-loader offers a Soft Start with each trigger pull
 - Eliminates the material blast that can impact finish quality
- Reduces jobsite noise
- Extends pump and compressor life
- ► Reduces hopper and material vibration

MaxPower™ DC Motor

STANDARD INTERIOR SERIES

Proven Performance and Trouble-Free Operation

- Allows the trouble-free use of long extension cords with less circuit breaker issues
- ▶ Totally-enclosed, fan-cooled design protects the motor from dust, dirt and other debris
- Brushless design means you never need to replace brushes
- Run in high-output 20 amp mode, or set to 15 amps for jobs with power limitations

Dual-Piston Air Compressor

The power to spray it all!

- Delivers up to 50% more air for demanding finishes
- ► Maintenance-free design
- Runs at lower RPM for longer life




INTRODUCING THE ALL-NEW RTX SPRAYERS NOW WITH MORE PERFORMANCE THAN EVER BEFORE MORE AIR, MORE FLOW - MORE PRODUCTIVITY!

Featuring optimized texture solutions for a full range of interior, decorative, and exterior finishes, this *NEW RTX LINE-UP* delivers the increased proformance, productivy, and legendary quality that has made Graco the industry's leader in texture solutions since 1992.







WideTex tips dramatically expand the single-pass coverage area compared to standard nozzles!

WideTex™ Tips & Adapter

The Fastest Way to a Superior Texture Finish!

- Provides a wide, consistent Fan-Spray pattern to finish jobs faster and easier than ever before
- Allows effortless "left-to-right" spraying, eliminating the need to constantly keep the gun in a circular motion
- Offers less mist and fog in the pattern to increase transfer efficiency— saving time and material
- ► Graco Exclusive Technology

3 EASY STEPS!



Remove hopper and cover



Unscrew bracket



Remove pump

Pump System

Tool-less Pump Removal and Installation System

- ► Replace the RotoFlex Pump in seconds!
- ► Eliminates costly jobsite downtime
- Quickly and easily swap the pump for a spare
- ▶ No tools required

Choose the RIGHT SERIES. A sprayer for every job.

Graco texture sprayers are built to make your work easier, faster, and more productive. Whether you're looking for the everyday reliability of our RTX Standard Interior Series, the increased speed and productivity of the RTX Pro Interior Series, or the compact, yet powerful RTX Pro Exterior Series, Graco offers the ideal sprayer designed from the ground-up to meet your needs.

If you're a Residential and Remodel Contractor:

- You apply texture periodically
- Your jobs are often smaller
- You need everyday reliability
- You don't need extra features

EVERYDAY RELIABILITY

If you're a Large Residential and Commercial Interior Contractor:

- You apply texture every day
- You tackle medium to large jobs
- You move frequently from job to job
- ▶ You need time-saving features to get on to the next job

WORK SMARTER, FINISH MORE JOBS



- You apply exterior texture finishes often
- You complete small, medium and large jobs
- You need a powerful yet compact sprayer for a wide range of materials

FOR THE TOUGHEST JOBS

SIANDARD INTERIOR *Series* You need a **Pro Interior**Series sprayer.

You need a **Standard Interior**Series sprayer.



Choose the RIGHT SPRAYER.



6.1 CFM (.17)



2.0 GPM (7.6) 6.1 CFM (.17)



RTX 5000pi 5.0 GPM (19) 8.6 CFM (.24)



5.0 GPM (19) 8.6 CFM (.24)

5.5 GPM (21) 9.1 CFM (.26)

INTERIOR JOBS

EXTERIOR JOBS

Air Flow

The RTX Standard Interior Series is the everyday finishing solution designed for the Residential and Repaint Contractor looking for everyday reliability. The features you want with the finish you need



NEW 2016 RTX FEATURES!

RotoFlex II Pump

- Features an innovative braided sling that provides extra support to the RotoFlex pump tube
- ▶ 1.4 gpm output to get the job done quickly job site proven!

High-Output 6.1 cfm Air Compressor

- High-output design delivers 33% more air for demanding finishes
- ► Maintenance-free design
- Projects materials farther

120v AC High Output Electric Motor

- Optimized design offers improved power and performance
- Single-motor design operates both the air compressor and the RotoFlex pump

Skip-Bond Material/Air Hose

- Both hoses are permanently bonded together for easy handling
- Offers improved flexibility

FlexChange™ Pump Section

- ► No-Tools pump replacement system now easier than ever!
- Swap out a spare RotoFlex pump in seconds!
- Eliminate costly job site downtime

Adjustable Material Flow Control

- Dial up to spray thicker materials; Dial down for less flow and maximum control
- ► Easy-to-read gauge

Lightweight Spray Gun

- ► Durable, corrosion-resistant design
- ► Easy-to-use air & trigger adjustment
- Ergonomically styled for comfortable spraying

RTX Texture

TexSpray RTX 1400s

DESCRIPTION PART # TEXSPRAY RTX 1400si 17H572

 SPECIFICATIONS

 MAX GPM (LPM):
 1.4 (5.3)

 MAX PSI (BAR):
 70 (4.8)

 CFM (CM) @ 20 PSI:
 6.1 (.17)

 HOPPER GAL (L):
 10 (38)

 MOTOR TYPE:
 AC

 MOTOR HP:
 1.7

 VOLTAGE:
 120V

INCLUDES

MAX HOSE FT (M):

- 3/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Lightweight Texture Gun
- 3mm, 4mm, 6mm, 8mm round Nozzles

25 (7.5)

Equipped with the job site proven RotoFlex II Pump.



On-board Toolbox conveniently stores all your accessory items.



RTX Texture

TexSpray

DESCRIPTION TEXSPRAY RTX 2000PI 17H573

SPECIFICATIONS

MAX GPM (LPM): 2.0 (7.6) MAX PSI (BAR): 70 (4.8) CFM (CM) @ 20 PSI: 6.1 (.17) **HOPPER GAL (L):** 13 (49) **MOTOR TYPE:** AC MOTOR HP: 1.7 **VOLTAGE:** 120V MAX HOSE FT (M): 50 (15.4)

INCLUDES

- 1 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy Duty Texture Gun
- 3mm, 4mm, 6mm, 8mm, 10mm, 12mm round Nozzles
- WideTex Adapter with 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

TEXSPRAY RTX 5000PI 17H575

SPECIFICATIONS MAX GPM (LPM):

5.0 (19) MAX PSI (BAR): 100 (6.9) CFM (CM) @ 20 PSI: 8.6 (.24) **HOPPER GAL (L):** 15 (57) **DC Brushless MOTOR TYPE:** MOTOR HP: 2.0 **VOLTAGE:** 120V

MAX HOSE FT (M): 100 (30)

INCLUDES

- 1 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy Duty Texture Gun
- 3mm, 4mm, 6mm, 8mm, 10mm, 12mm round Nozzles
- WideTex Adapter with 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips



The RTX Pro Interior Series delivers an optimized texture system perfect for tradesmen and contractors seeking the time-saving features required for medium-to-large jobs. This professional solution is designed for increased productivity to get you on and off the job site faster.



- ► Large 13-Gallon **Capacity Hopper**
- ► 120V AC **Electric Motor**

Extra Large 15-Gallon Capacity Hopper

120v MaxPower™ **Brushless DC Motor** with 15/20 amp switch

Features Include: RotoFlex Pump

High-Output Air Compressor FlexChange Pump Section

SmartStart™ System

- Innovative system automatically starts pump and compressor when gun trigger is pulled, and shuts them off when released
- Provides a soft-start to eliminate material blast that can impact finish quality
- Reduces noise and vibration
- Extends pump and compressor life

The RTX 5000p is very fast, powerful, and easy to set up. I really like SmartStart and its consistent finish, being able to run longer hose lengths, and the 15/20 amp switch. I like everything about the machine!" - Adan Rodriguez Elite Drywall Specialties, West Covina, CA

Twin-Cylinder Air Compressor (5000PI only)

- ► High-output design delivers more air for demanding finishes
- ► Maintenance-free design
- ► Runs at lower RPM for longer life

WideTex Tips & Adapter

- Allows spraying in a uniform fan pattern
- Spray repeatable patterns with less material and pressure adjustment
- Increases productivity by more than 20%

Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector

- Durable aluminum design
- Oversized fluid/air passages
- Allows unit to be put in prime mode right at the gun!

1in Skip-Bond Material/Air Hose

- Both hoses permanently bonded for easy handling
- Offers more Flexibility than ever before!

The RTX PRO Exterior Series is configured to tackle exterior jobs of all sizes. Ideal for the large residential and commercial contractor needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as synthetic stuccos, deck coatings, stone paints and more.



Features Include:

RotoFlex HD Pump Bonded Heavy-Duty Material/Air Hose FlexChange Pump Section

SmartStart™ System

- Innovative system automatically starts pump and compressor when gun trigger is pulled, and shuts them off when released
- Provides a soft-start to eliminate material blast that can impact finish quality
- Reduces noise and vibration
- Extends pump and compressor life

Twin-Cylinder Air Compressor

- ► High-output design delivers more air for demanding finishes
- Maintenance-free design
- Runs at lower RPM for longer life

External Air Input

► Allows external air to be used for demanding finishes

WideTex with Hardened Tips & Adapter

- ► Allows spraying in a uniform fan pattern
- Spray repeatable patterns with less material and pressure adjustment
- Increases productivity by more than 20%
- 2X Harder than Standard WideTex tips!

Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector

- Durable aluminum design
- Oversized fluid/air passages
- Allows unit to be put in prime mode right at the gun!

RTX Texture

TexSpray

DESCRIPTION TEXSPRAY RTX 5000px 17H579

SPECIFICATIONS

MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI: **HOPPER GAL (L): MOTOR TYPE:** MOTOR HP:

5.0 (19) 100 (6.9) 8.6 (.24) 15 (57) **DC Brushless** 2.0

120V

100 (30)

VOLTAGE: MAX HOSE FT (M):

INCLUDES

- 1-1/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy Duty Texture Gun3mm, 4mm, 6mm, 8mm, 10mm, **12mm round Nozzles**
- WideTex Adapter with Hardened 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

TEXSPRAY RTX 5500PX

17H581

SPECIFICATIONS

MAX GPM (LPM): MAX PSI (BAR): CFM (CM) @ 20 PSI: **HOPPER GAL (L): MOTOR TYPE:**

5.5 (21) 100 (6.9) 9.1 (.26) 15 (57) **DC Brushless**

2.0

MOTOR HP: VOLTAGE: MAX HOSE FT (M):

240V 100 (30)

INCLUDES

- 1-1/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy Duty Texture Gun3mm, 4mm, 6mm, 8mm, 10mm, **12mm round Nozzles**
- WideTex Adapter with hardened 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

Connects to standard 220-240 Volt L6-30 receptacle (3 wire) on most distribution boxes or generators.



HTX 2030 Gas Mechanical Texture Sprayer

When it comes to spraying the most demanding materials, nothing compares to the HTX 2030 gas mechanical sprayer. Specially equipped with features and technologies to spray nearly everything, the HTX 2030 does what no other sprayer can accomplish. Whether your job requires exterior smooth and aggregate coatings, elastomerics, acrylic coatings, or drywall mud finishes, the proven HTX 2030 is the sprayer of choice. Add the available high-pressure MaxLife® Endurance Pump, and you can also spray the entire range of paints and primers! From texture finishing to final topcoat, you can count on the proven HTX to get the *entire* job done.

High-Output Texture Pump

- Uniquely designed pump with extra large passages allows pumping aggregated materials up to 2.5 mm
- No-tools hose connections at pump and gun
- Innovative soft seal in the foot valve ensures consistent and optimal performance
- Produces delivery rates to 3.0 gpm at 1000 psi for time-saving production rates
- Easily sprays smooth and aggregate textures, elastomerics and acrylic materials



PowerFlo™ Control System

Designed specifically for the RTX family of texture sprayers, these guns feature oversized passages and durable construction. Its heavy-duty, durable cast aluminum body is 25% lighter than competitive designs.

- Extra coarse head threads make nozzle changes quick and easy
- Oversized passages easily pump heavy mud mixes and oversized aggregates



Integrated needle adjustment and ball valve air adjustment

StraightThru™ Fluid Path

- StraightThru design eliminates turns and corners from pump to gun
- Puts less stress on material to virtually eliminate pack-out conditions
- ► Enables the spraying of today's more demanding and aggressive aggregate materials

Wide Variety of Applicators

- FreeFlo™ Inline Gun offers oversized, unobstructed fluid passages to provide maximum flow
- ► Trigger Gun Applicator provides onehanded operation, has trigger shut-off to prevent material oozing, and is ideal for spraying EIFS and synthetic stucco finish coats
- Sprays air-assisted in either a round pattern or wide fan pattern for fast, consistent material coverage
- ➤ 3 ft Pole Gun* offers extended reach to minimize repositioning of lifts and ladders (patent pending)
- ➤ Flex Head Pole Gun* offers greater control in tight areas, such as on scaffolding and around architectural detail
- Both new pole guns can spray in a wide fan pattern—an industry first!


*Sold Separately







TexSpray HTX 2030 Complete Part #: 258740 TexSpray HTX 2030 Complete Plus+ Part #: 258741 **TEXTURE APPLICATIONS:** Get the interior and exterior texture finish you want with aggregate size up to 2.5 mm.



Exclusive Convert-A-Pump™ System (Included with HTX 2030 Complete Plus+)

- Innovative system allows user to convert unit to a high pressure airless sprayer for applying the wide range of heavier smooth coatings including skim coat in a Level 5 finish, primers and paints.
- System automatically recognizes installed pump and converts it to an airless sprayer.
- Allows you to upgrade your TexSpray HTX 2030 Complete to a TexSpray HTX 2030 Complete Plus+ at any time (with the MaxLife Endurance High-Pressure Pump Kit #24B140) to expand your job capabilities.



Gas Powered Aggregrate

TexSpray HTX 2030 Complete

DESCRIPTION
TEXSPRAY HTX 2030

TEXSPRAY HTX 2030 COMPLETE WITH

FREEFLO™ INLINE GUN 258740

PART #

.071

TEXSPRAY HTX 2030 COMPLETE WITH

TRIGGER GUN APPLICATOR 278677

SPECIFICATIONS

MAX TIP SIZE:

MAX GPM (LPM): 3.0 (11)
MAX PSI (BAR): 1000 (70)

ENGINE CC (HP): Honda 200 (6.5)

INCLUDES

- High-Output Piston Texture Pump
- FreeFlo Inline Gun
- RAC X 671 Airless Tip and Guard
- 3/4 in x 50 ft (19 mm x 15 m) Hose
- 55 Gallon Suction Set
- Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in and 3/8 in Nozzles
- 4 mm, 6 mm, 8 mm, 10 mm Nozzles

TexSpray HTX 2030 Complete Plus+

DESCRIPTION TEXSPRAY HTX 2030 COMPLETE PLUS+

WITH FREEFLO™ INLINE GUN 258741

TEXSPRAY HTX 2030 COMPLETE PLUS+ WITH TRIGGER GUN APPLICATOR

278678

PART #

PLUS+ INCLUDES

All the parts of the HTX 2030 Complete

- MaxLife Endurance High Pressure Airless Pump
- Heavy-Duty Texture Gun
- RAC X 643 Airless Tip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x .9 m) Whip Hose

Air-Powered Texture Sprayers

High-performance solutions for heavy-duty jobs

Whether you need to apply a texture coating to a large interior surface, or an exterior aggregate finish on a large commercial job, these air-powered texture solutions get the job done fast! Powered by your external air compressor, these pumps offer unmatched performance, quiet operation and unique features found only on a Graco texture sprayer.

GTX 2000EX

Designed around Graco's proven Husky diaphragm pump, the GTX 2000Ex is a highly portable texture system ideal for applying both smooth materials as well as those containing fine aggregates. Fitted with an oversized hopper and durable Graco Texture Gun, it's the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.



President 10:1

When you need to pump directly from the drum, look no further than the time-tested, proven President 10:1. Ideal for truck, trailer, or inplant locations, it features a high-output piston pump and Even-Flo Valve for consistent spray delivery. It's ideal for everything from smooth to heavily aggregated materials containing silica sand, perlite, vermiculite, polystyrene, and other aggregated materials.





Husky™ 1040 Double Diaphragm Pump

- ▶ Durable Geolast™ ball check valves
- High-output, 1-inch pump produces texture delivery rates to 4.0 gpm

Air Spray Heavy-Duty Trigger Gun

- Durable cast aluminum design
- Oversized fluid passages for pumping heavy mud mixes and larger aggregate sizes
- Extra-coarse gun head threads for guick nozzle changes

Largest 17-Gallon Capacity Hopper

- No-tools removal for easy clean up
- Steep sided to keep the thickest muds flowing to the pump

Separate Pump/Gun Air Controls

- One regulator controls pump pressure and output, another controls atomization air
- Enables you to produce precise, consistent and repeatable texture finishes

Bonded Material/Air Hose

- Both hoses are permanently bonded together for easy handling
- No-tools hose connection with oversized grip

On-Board Air Filtration

- Auto-drain design automatically removes moisture build-up
- Filters incoming air to keep your sprayer running at optimal performance

*User-supplied air compressor with minimum performance of 12 cu ft/min (.34 cu m/min) at 100 psi (6.9 bar) recommended.

EvenFlow® Valve

- Provides smooth, even material flow for the most consistent finish quality
- Includes air regulators and pressure gauges for easy setup and operation

Relax-A-Valve (Carbon Steel Model Only)

- Ensures a soft start with easy trigger pull
- ▶ Eliminates the material blast that can impact finish quality

High-Output Piston Pump

- Submerged foot valve is placed low to the ground to ensure the pump is preloaded with material
- Available in both carbon steel and stainless steel
- High-output pump produces texture delivery rates to 3.0 gpm (11 lpm) at 1000 psi (69 bar) for time-saving production ratios

Heavy-Duty Graco Air Motor

- Time-tested air motor delivers years of reliable, dependable operation
- Simple, maintenance-free design

Convenient Drum Mount Set-Up

- Mounts directly to your material container, saving space in your truck or on the job
- Carbon steel units can be used in open or closed head drums



Air-Power Texture

TexSpray

DESCRIPTION PART # **TEXSPRAY GTX 2000**EX 257030

SPECIFICATIONS

MAX GPM (LPM): 4.0 (15.1) MAX PSI (BAR): 120 (8.3) MAX HOSE FT (M): 100 (30) **HOPPER GAL (L):** 17 (64.3)

- Air Spray Trigger Gun
- 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm Nozzles
- 1 in x 25 ft (25.4 mm x 7.5 m) **Bonded Air/Material Hose**

President

DESCRIPTION 10:1 CARBON STEEL **COMPLETE**

225886

SPECIFICATIONS

MAX GPM (LPM): 3.0 (11) MAX PSI (BAR): 1000 (70) MAX HOSE FT (M): 200 (61)

INCLUDES

- Heavy-Duty Air Spray Gun
- 6 mm Nozzle
- 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose • 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) **High Pressure Material Hose**

DESCRIPTION PART # 10:1 CARBON STEEL COMPLETE 225877

10:1 SST COMPLETE

987429 **SPECIFICATIONS** MAX GPM (LPM): 3.0 (11)

MAX PSI (BAR): 1000 (70) MAX HOSE FT (M): 200 (61)

INCLUDES

- Heavy-Duty Air Spray Gun
- 6 mm Nozzle
- 3/8 in x 100 ft (9.5 mm x 30 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose
 3/4 in x 50 ft (19 mm x 15 m)
- **High Pressure Material Hose**
- 1 in x 50 ft (25 mm x 15 m) **High Pressure Material Hose**

DESCRIPTION PART # 10:1 SST BARE 954088

SPECIFICATIONS

MAX GPM (LPM): 3.0 (11) MAX PSI (BAR): 1000 (70) MAX HOSE FT (M): 200 (61)

Choose the RIGHT SPRAYER

Different jobs require different equipment, and the TexSpray family of airless texture sprayers gives you what you need—options. Optimized specifically for medium- to high-viscosity coatings, ALL TexSpray airless sprayers feature technologies that no other airless sprayer can offer. From the standard direct immersion pump to the filterless guns with extra large fluid passages, Graco TexSpray airless sprayers are designed to deliver maximum production. No matter the size of the job, there is a Graco texture sprayer that will deliver the flow you want, to achieve the production rate you *need!*

Mark


The electric-powered Mark sprayers are ideal for the contractor who typically applies **interior** finishes and coatings. Ideal for Level 5, textured finishes with drywall mud, fire-stop, fireproofing, vapor barrier, duct sealant, and other coatings including the full range of primers and paints.

HD

The gas-powered HD sprayers are the sprayer of choice for the contractor who typically applies exterior coatings. Ideal for spraying elastomerics, waterproofing, vapor barriers, roof coatings and other heavy exterior coatings, they also easily spray the full range of paints and primers. The efficient direct-drive HD offers unmatched fuel economy and a lifetime drive train warranty.

DutyMax

The gas-powered, hydraulic DutyMax sprayers are the ideal choice for the contractor who typically applies exterior coatings on the biggest jobs. With models that convert to electric power, they are also versatile enough to be used on interior jobs. Ideal for spraying elastomerics, drywall mud, waterproofing, vapor barriers, roof coatings and other heavy coatings—and it can spray the full range of paints and primers!



Choose the RIGHT SERIES for all your texture applications

texture applications.

Graco texture sprayers come with features designed to make your work easier, faster, and more productive. Whether you need the everyday reliability of our **Standard Series**, the increased speed and productivity of the **ProContractor Series**, or extreme ruggedness of the **IronMan Series**, Graco offers the perfect sprayer that's designed from the ground-up to meet your needs.



m.graco.com/cedseriesvid

If You're a

Small Residential and Light Commercial Contractor

- You're spraying multiple days a week
- ► Your jobs are typically on the smaller side
- ➤ You demand everyday reliability
- You don't need a lot of extra features







You need a **Standard** Series sprayer.

EVERYDAY RELIABILITY

If You're a

Large Residential and Commercial Contractor

- You're spraying every day
- You tackle medium to large projects
- ➤ You're moving frequently from job to job
- You need features that save you time and get you in, out, and on to the next job site







You need a **ProContractor** Series sprayer.

WORK SMARTER, FINISH MORE JOBS

If You're a

Large Commercial and Industrial Contractor

- ➤ You're spraying continuously in less-than-ideal conditions
- You handle large, long-duration projects that require large volumes of material
- ▶ You keep your equipment on-site in material
- ▶ You require extreme durability and reliability





You need an IronMan Series sprayer.

BEYOND JOBSITE TOUGH

SMALL RESIDENTIAL AND LIGHT COMMERCIAL



Mark Standard Series

EVERYDAY RELIABILITY

When you're tackling texture projects multiple days a week, you demand reliability. Graco's Standard Series sprayers of the Mark texture sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

No matter what Standard Series sprayer you need, they all come equipped with many exclusive features found "Only On A Graco"



MaxPower Motor Graco's compact and powerful MaxPower brushless DC motors are designed to produce the most power possible for all painting applications.

- ► Higher torque = More work done
- ➤ Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- Brushless design means that you will never need to replace brushes
- ▶ Lifetime warranty

SmartControl™ 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- Spray thicker coatings and run longer hoses
- ➤ ProGuard™ Sprayer Protection System guards against bad or extreme jobsite power conditions



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- Retractable handle doubles as coiled hose storage
- ► Hi-Boy TiltBack™ kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes





Easy Out™ Pump Filter

The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

► Large 22.3 square inch filtering area reduces tip clogs and ensures a quality finish

Vertical filter removes with the cap for less mess





Advantage Drive[™] The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- Hardened steel gears run extremely quite
- ➤ The most durable, longest lasting drive in the industry
- Lifetime warranty






Endurance Pump with Max Flo™+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- ► Foot valve is positioned low to the ground where it stays submerged in the material bucket
- New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying



Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.



Mark **ProContractor**Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of the Mark family of texture sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, Plus much more!

SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics

ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions





WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

Prevents dry pumping damage









FastFlush™ This high flow cleaning system runs faster and dramatically decreases cleaning time.

- Motor runs at super high speed
- Results in high flow and faster cleaning up to 4X faster using only half the water!

Fast Flush

QuikReel™ With the integrated QuikReel you can deploy and rewind the hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading





Ready To Spray Everything you need—texture gun, SwitchTip™s and 100 feet of Blue Max II hose is already assembled and ready to use right out of the box, getting you



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.

LARGE COMMERCIAL AND INDUSTRIAL

Mark IronManseries

BEYOND JOBSITE TOUGH

Power, Durability and **Capability** is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, the IronMan series of Mark airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the features of the Standard Series, **Plus** much, much more!

SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics

 ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions





WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

Prevents dry pumping damage









FastFlush[™] This high flow cleaning system runs faster and dramatically decreases cleaning time.

- Motor runs at super high speed
- Results in high flow and faster cleaning up to 4X faster using only half the water!








Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will <u>never</u> go flat, leaving the sprayer

stranded on a job site.

Extreme-Duty MaxLife® Pump Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ► Exclusive MaxLife sleeve and Chromex rod
- ► Lasts longer between repacks
- Oversized fluid passages deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out





ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ► Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare
- ► Pinless design needs no tools

Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding jobsites.

- Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites
- Crush-proof intake screen stands up to harsh impacts



Electric Airless

TexSpray Mark | V

SERIES PART # STANDARD 16W897

PROCONTRACTOR 16W898

SPECIFICATIONS
MAX TIP SIZE: .033

MAX GPM (LPM): 1.10 (4.1) MAX PSI (BAR): 3300 (227)

MOTOR: 2.2 hp Brushless DC

INCLUDES

STANDARD SERIES UNIT:

- Flex Plus Gun
- LTX425 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m)
 BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Flex Plus Gun
- LTX425 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

Texture spraying is all about high productivity, and that's where the **Mark IV** sprayer really delivers. Designed to save time and money by enabling you to spray more square footage in a day, this unit offers valuable, must-have features for the serious professional contractor. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint, this sprayer can do it all!







SERIES

"We use Graco because they get the productivity we need. Everything in this industry is about productivity."

Joey Vukelich, General Foreman Performance Contracting, Inc.

ERIES

The Graco **TexSpray Mark V** is built to deliver a higher flow rate that lets you get the job done faster. It features 20 percent more productivity than the Mark IV and comes with an upgraded Heavy-Duty Texture Gun. It can accommodate a larger tip size, and has the power to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint.

Electric Airless

TexSpray Mark V

SERIES PART #
STANDARD 16W905
PROCONTRACTOR 16W906

SPECIFICATIONS

IRONMAN

MAX TIP SIZE: .039

MAX GPM (LPM): 1.35 (5.1) MAX PSI (BAR): 3300 (227)

MOTOR: 2.8 hp Brushless DC

16X947

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX425 SwitchTip and Guard
 3/8 in x 50 ft (9.5 mm x 15 m)
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR AND IRONMAN SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX425 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose AND
- 1/4 in x 50 ft (6.4 mm x 15 m)
 BlueMax II Airless Hose





Electric Airless

TexSpray Mark X 240 Volt

SERIES PART # STANDARD 16W908 16X099 **PROCONTRACTOR**

SPECIFICATIONS MAX TIP SIZE: .045 MAX GPM (LPM): 2.10 (8.0) MAX PSI (BAR): 3300 (227)

4.0 hp Brushless DC **MOTOR:**

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Inline Gun
 RAC X 531, 541 SwitchTips and Guard
 1/2 in x 50 ft (13 mm x 15 m)
- **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) **Whip Hose**

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Inline Gun
- RAC X 531, 541 SwitchTips and Guard
- 1/2 in x 100 ft (13 mm x 30 m) **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) **Whip Hose**

Connects to standard 220-240 Volt L6-30 receptacle (3 wire) on most distribution boxes or generators.



The Most Powerful Electric Airless Texture Sprayer-Period!

The TexSpray Mark X 240 Volt is our most productive electric airless/ texture unit. With nearly double the output of the Mark V, it is the sprayer of choice for serious professional contractors who take advantage of the 240 volt power available at a construction site or with a generator. A true powerhouse, it can easily spray skim coat in a Level 5 finish and drywall mud in an orange peel, splatter or knockdown finish. It can even apply the whole range of primers and paints.





SERIES

"The reason I use the Mark sprayer is because of the productivity and how much footage we get everyday."

Ron Fuller, General Foreman **Anning-Johnson**







HD Standard Series

EVERYDAY RELIABILITY

When you're tackling texture projects multiple days a week, you demand reliability. Graco's Standard Series of HD gas-powered sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

No matter what Standard Series sprayer you need, they all come equipped with many exclusive features found "Only On A Graco"

Honda® Engine This contractorpreferred, compact, and lightweight Honda engine is reliable, technologically advanced and easy to start

 Oil Alert shuts down engine if oil level drops too low, preventing damage POWERED by HONDA



SmartControl[™] 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

Spray thicker coatings and run longer hoses



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ► Hi-Boy TiltBack™ kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes





Heavy-Duty Prime Valve

and 50 feet of BlueMax™ II hose is included.

Maintenance-free design withstands high-pressure dumping.



- ➤ Foot valve is positioned low to the ground where it stays submerged in the material bucket
- New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying



HD ProContractorseries

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of HD texture sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, **Plus** much more!



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

 Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics





WatchDog[™] The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

Prevents dry pumping damage





QuikReel™ With the integrated QuikReel you can deploy and rewind the hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ► Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- Use only the hose you need—the rest stays on the reel
- ► Hand crank folds away for storage and one man loading









ProConnect™ 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.

LARGE COMMERCIAL AND INDUSTRIAL

HD IronManseries

BEYOND JOBSITE TOUGH

Power, Durability and **Capability** is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, the IronMan series of HD gas-powered airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the features of the Standard Series, **Plus** much, much more!



SmartControl 3.0 with LED Display

Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

 Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics







WatchDog The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

Prevents dry pumping damage

Heavy-Duty Hose and Gun


100 feet of high-performance BlueMax II airless hose and a Heavy-Duty Blue Texture gun that can handle spraying heavier materials are included with every IronMan sprayer.



Extreme-Duty MaxLife® Pump Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ► Exclusive MaxLife sleeve and Chromex rod
- ▶ Lasts longer between repacks
- Oversized fluid passages deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out









ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ► Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare
- Pinless design needs no tools



Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding jobsites.

- Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites
- Crush-proof intake screen stands up to harsh impacts



Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will never go flat, leaving the sprayer stranded on a job site.

Gas Airless

TexSpray

PART # STANDARD 16W889 **PROCONTRACTOR** 16W882

SPECIFICATIONS

MAX TIP SIZE: 0.043 MAX GPM (LPM): 1.6 (6.0) 3300 (227) MAX PSI (BAR): Honda 160 (5.5) **ENGINE CC (HP):**

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Texture GunLTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose **AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) **BlueMax II Airless Hose**



Welcome to a new world of versatile gas-powered airless/ texture spraying with the TexSpray 5900 HD. Built with must-have features that are designed to save you time and money, the TexSpray 5900 HD delivers top-notch performance and versatility. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can handle just about any task you need it to. Doing the job just got easier with Graco!





SERIES

"We like to train with Graco equipment because we know that's what the guys are using in the field."

Tom Nesbitt Drywall Apprenticeship Coordinator Southern CA District Council 36

Gas Airless

TexSpray

PART # 16W890 STANDARD **PROCONTRACTOR** 16W888 **IRONMAN** 16X949

SPECIFICATIONS

MAX TIP SIZE: 0.048 MAX GPM (LPM): 2.2 (8.3) MAX PSI (BAR): 3300 (227) **ENGINE CC (HP):** Honda 200 (6.5)

INCLUDES

STANDARD SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX531, LTX427 SwitchTips and Guard
 3/8 in x 50 ft (9.5 mm x 15 m)
- **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 0.9 m) **Whip Hose**

PROCONTRACTOR AND IRONMAN SERIES UNIT:

- Heavy-Duty Texture Gun
 LTX531, LTX427 SwitchTips and Guard
 3/8 in x 50 ft (9.5 mm x 15 m) **BlueMax II Airless Hose**
- 1/4 in x 50 ft (6.4 mm x 15 m) **BlueMax II Airless Hose**

When you need the highest performance for the biggest jobs, look no further than the **7900 HD**. Designed from pump to gun for maximum flow and extreme durability, every 7900 HD comes equipped with the Extreme-Duty MaxLife™ Endurance Pump—Graco's toughest pump. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can do it all!

EVERY TexSpray 7900 HD is





ERIES

Duty Max Standard Series

When you're tackling painting projects multiple days a week, you demand reliability. Graco's Standard Series of DutvMax hydraulic direct-immersion sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:


Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.



- Oil Alert shuts down engine if oil level drops too low, preventing damage
- Contractor preferred

POWERED by





- Innovative hydraulic reservoir is tapered on the bottom, allowing easier and more thorough fluid changes
- Cooling fins on reservoir deflect heat away from sprayer
- No special hydraulic fluid needed



Rugged, Durable Cart Design

With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over welded steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- Retractable handle doubles as coiled hose storage





Endurance Pump with Max Flo[™]+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick,

► Foot valve is positioned low to the ground where it stays submerged in the material bucket

heavy material while protecting against pack-out and clogging.

- New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying

High-Efficiency Hydraulic Motor

Graco's hydraulic motor delivers rock-solid performance time after time and keeps you up and running.

- Faster, more responsive changeover
- ► 100% 0-ring sealed fittings prevent leaks
- ► Fewer moving parts mean less maintenance and longer life







Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- Vertical filter removes with the cap for less mess

Ready To Work Everything you need to get spraying—RAC X™ SwitchTip™, HD Blue Texture gun and 50 feet of BlueMax™ II hose is included.

Indoor and Outdoor Use Quickly swap the gas engine for an electric motor in seconds—without tools! (Available on DutyMax GH 230pl Convertible.)





Heavy-Duty Rock Catcher

Stands up to harsh impacts.

QuikReel™ With the integrated QuikReel you can deploy and rewind up to 300 feet of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- Hand crank folds away for storage and one man loading





ProConnect™ Graco's ProConnect Pump Removal and Installation System makes it easy and fast to replace the pump.

- Eliminates costly job site downtime
- Quickly and easily swap out the pump for a spare
- Pinless design needs no tools

Hydraulic Airless

TexSpray DutyMax GH 23001 Convertible

SERIES PART # STANDARD 24W943

STANDARD with Electric Motor Kit (non CSA)

24W944

STANDARD with Electric Motor Kit (CSA)

24W945

PROCONTRACTOR 24W962

PROCONTRACTOR with Electric Motor

Kit (non CSA) 24W963

PROCONTRACTOR with Electric Motor

Kit (CSA) 24W964

SPECIFICATIONS (with Gas Engine)

MAX TIP SIZE: 0.053

MAX GPM (LPM): 2.35 (8.9)

MAX PSI (BAR): 3300 (227)

ENGINE CC (HP): 200 (6.5)

SPECIFICATIONS (with Electric Motor)

MAX TIP SIZE: 0.031

MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNITS:

- Heavy-Duty Texture Gun
- LTX427, LTX531 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m)
 BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Texture Gun
- LTX427, LTX531 SwitchTips and Guard
- 3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose



Now Available with Kohler Diesel Engine!





electric in seconds without any tools!

When you need maximum performance, turn to the all new DutyMax GH 300pi sprayer to get the job done—fast!





Hydraulic Airless

TexSpray DutyMax GH 300n

PART # **STANDARD** 24W967 **PROCONTRACTOR** 24W968

SPECIFICATIONS

MAX TIP SIZE: 0.057 MAX GPM (LPM): 3.0 (11.4) MAX PSI (BAR): 3300 (227) **ENGINE CC (HP):** 270 (9.0)


INCLUDES

STANDARD SERIES UNITS:

- Heavy-Duty Inline GunLTX643, WR1239 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) **BlueMax II Airless Hose**
- 3/8 in x 3 ft (9.5 mm x 0.9 m) **Whip Hose**

PROCONTRACTOR SERIES UNIT: • Heavy-Duty Inline Gun

- LTX643, WR1239 SwitchTips and Guard
- 3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose
- 3/8 in x 3 ft (9.5 mm x 0.9 m) **Whip Hose**



ENDURANCE™ ADVANTAGE PROGRAM

A SOLUTION TO KEEP YOU SPRAYING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco sprayer, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and spraying! Simply follow the registration instructions included with your sprayer.







m.graco.com/proconnect2vid





WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do. . . we will be there.

LIFETIME MOTOR WARRANTY

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer (Mark IV, Mark V and Mark X 240 Volt).

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer (Mark IV, Mark V, Mark X 240 Volt, 5900 HD and 7900 HD).

1-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get *FREE* next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.

Nobody Else Builds Sprayers Like This.




Accessor

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and hoppers, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

25-Gallon (95 Liter) Texture Hopper This versatile large-capacity hopper connects directly to the Mark IV, Mark V, Mark X 240 Volt, 5900 HD and 7900 HD. It boosts your productivity by minimizing material refills, and

it's easy to attach and maneuver throughout the job site. Part

#287987



For TexSpray RTX and GTX Sprayers

288629	RTX 650, RTX 1400sı Air Spray Trigger Gun
288628	RTX 900/1250 Air Spray Trigger Gun
24S134	RTX 1500, 2000PI & 5000PI Air Spray Trigger Gun with Threaded Connection
24S135	RTX 5000px & 5500px Air Spray Trigger Gun with Threaded Connection
248093	Air Spray Trigger Gun with threaded hose connection Replacement gun for

Compact HP and GTX 2000Ex series sprayers.

RTX 1500, 5000 & 5500 External Air Kit Connect a separate air compressor for increased atomization energy. 287328

3 ft (1 m) Pole Gun with Threaded Hose Connection (Not for use with RTX model sprayers.) 238807 Flex Head Gun with Threaded Hose Connection (Not for use with RTX model sprayers.) 238080

NOZZLES

For use on Pole Guns and FlexHead Guns

190943 3/16 in (5 mm) Nozzle 190945 5/16 in (8 mm) Nozzle 190944 1/4 in (6 mm) Nozzle 190946 3/8 in (9.5 mm) Nozzle

For use on RTX 650, 900, 1250 and Hopper Guns

234153 Spray Nozzle Kit

▶ Includes 1 each of 4 mm, 6 mm, 8 mm and 12 mm nozzles.

For use on RTX Heavy-Duty Texture Gun and GTX 2000 Series Guns

15C883 3 mm Nozzle 15C886 8 mm Nozzle 15C884 4 mm Nozzle 15C887 10 mm Nozzle 15C885 6 mm Nozzle 15C888 12 mm Nozzle

For use on RTX Heavy-Duty Texture Gun and GTX Heavy-Duty Texture Gun

24S142	WideTex Accessory Kit	24S138	WideTex Tip, Hardened, w8, 6-Pack
24\$143	WideTex Accessory Kit, Hardened	24S139	WideTex Tip, Hardened, w10, 6-Pack
24S136	WideTex Tip, Hardened, w4, 6-Pack	24S140	WideTex Tip, Hardened, w12, 6-Pack
24S137	WideTex Tip. Hardened, w6, 6-Pack	24S141	WideTex Tip, Hardened, wXL, 6-Pack























For TexSpray Sprayers: RTX and GTX Sprayers CONT'D

HOSE KITS

288622 RTX 650 Hose Clear Braided Hose Kit: 3/4 in x 20 ft (19 mm x 6 m) Fluid Hose RTX 900, 1250 and 1400SI Braided Hose Kit: 3/4 in x 25 ft (19 mm x 7.5 m) 17J454

Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose

RTX STANDARD REPLACEMENT HOSE

17J454	Blue Translucent Hose Kit: 3/4 in x 25 ft (19 mm x 7.5 m)
17J420	Blue Translucent Hose Kit: 1 in x 25 ft (25.4 mm x 7.5 m)
17L001	Blue Translucent Hose Kit: 1 in x 35 ft (25.4 mm x 10.7 m)
17J421	Blue Translucent Hose Kit: 1 in x 50 ft (25.4 mm x 15 m)
17L004	Blue Translucent Hose Kit: 1-1/4 in x 25 ft (31.7 mm x 7.5 m)
17L006	Blue Translucent Hose Kit: 1-1/4 in x 35 ft (31.7 mm x 10.7 m)
17L008	Blue Translucent Hose Kit: 1-1/4 in x 50 ft (31.7 mm x 15 m)



17L010 Blue Solid Heavy-Duty Hose Kit: 1 in x 10 ft (25.4 mm x 3 m) Whip 17L000 Blue Solid Heavy-Duty Hose Kit: 1 in x 25 ft (25.4 mm x 7.5 m) 17L002 Blue Solid Heavy-Duty Hose Kit: 1 in x 35 ft (25.4 mm x 10.7 m) 17L003 Blue Solid Heavy-Duty Hose Kit: 1 in x 50 ft (25.4 mm x 15 m) 17L005 Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 25 ft (31.7 mm x 7.5 m) Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 35 ft (31.7 mm x 10.7 m) 17L007 17L009 Blue Solid Heavy-Duty Hose Kit: 1-1/4 in x 50 ft (31.7 mm x 15 m)



ADDITIONAL ACCESSORIES

118487 Cam-Lock Kit: For converting an air spray gun with threaded connection to a cam-lock connection.

287337 Cam-Lock Kit: For converting a hose with threaded connection to a cam-lock connection.

248112 GTX 2000 Series Siphon Kit: For pumping directly from your mix container.

248117 GTX 2000 Series Air Line Kit: For remote operation of the GTX 2000Ex air compressor.

Sponge Ball Clean-Out Kit: For 1 in (25 mm) ID Hose Qty 5 248515 17L012 Sponge Ball Clean Out Kit: For 1-1/4 in ID Hose Qty 5 per pack

15T647 50 ft (15m) 240V Extension Cord for RTX 5500px

For TexSpray Sprayers: Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 230pi Convertible. DutyMax GH 300pi

GUNS

246468 Flex Plus Gun 241705 **Heavy-Duty Blue Texture Gun**

245820 Inline Heavy-Duty Texture Gun







GUN HOSE KITS

241338 Heavy-Duty Blue Texture Gun Hose Kit with 531 RAC X SwitchTip

3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (25 mm x 0.9 m)

3300 psi Whip Hose, Couplers and additional 427 RAC X SwitchTip

289585 Inline Heavy-Duty Texture Gun Hose Kit with LTX643 SwitchTip

1/2 in x 50 ft (13 mm x 15 m) 4000 psi Hose, 3/8 in x 12 ft

(9.5 mm x 3.6 m) Whip Hose, Swivel and Fittings

HOPPER

287987 25 Gallon (95 Liter) Texture Hopper Directly connects to Mark IV, Mark V,

Mark X 240 Volt, 5900 HD, 5900 Convertible, 7900 HD, DutyMax GH 230d Convertible,

DutyMax GH 300_{DI}.

243380 Cam-Lock Hose Adapter Connects the texture hopper to the GMAX II 7900,

1030 FC units or HTX 2030 sprayers.

ADDITIONAL ACCESSORIES

244052 Heavy-Duty Texture Gun Air Atomizer Kit with Air Hose

Minimum air compressor rating of 15 cfm at 90 psi.

244223 Heavy-Duty Texture Gun Air Atomizer Kit without Air Hose

Minimum air compressor rating of 15 cfm at 90 psi

55-Gallon Siphon Kit for Mark X 240 Volt, 7900 HD, 289669

DutyMax GH 230pi Convertible, DutyMax GH 300pi

15T647 50 ft (15 m) Extension Cord for Mark X 240 Volt



For TexSpray Sprayers: HTX 2030 Complete, HTX 2030 Complete Plus+

GUNS

24B327 FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 and 30 Mesh Filters, RAC X 671 Tip and Guard

24B944 Pole Gun 3 ft (1 m) with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter


24B945 Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter

241705 Heavy-Duty Blue Texture Gun 24R054 HTX 2030 Trigger Gun Applicator

NOZZLE SELECTION GUIDE*

Nozzle Size	Exterior Aggregate Material
3 mm	up to 1.0 mm (maximum)
4 mm	up to 1.25 mm (maximum)
5 mm	up to 1.5 mm (maximum)
6 mm	up to 2.0 mm (maximum)
8 mm	up to 2.5 mm (maximum)
9.5 mm	up to 2.5 mm (maximum)
10 mm	up to 2.5 mm (maximum)
11 mm	up to 2.5 mm (maximum)
13 mm	up to 2.5 mm (maximum)
14 mm	up to 2.5 mm (maximum)

Nozzle Interior Size Smooth Material		
3 mm	Fine Finish Orange Peel/Fog	
4 mm	Fine Finish Orange Peel/Fog	
5 mm	Orange Peel, Small Splatter	
6 mm Orange Peel, Small Splatter		
8 mm Splatter, Small to Medium Knockdo		
9.5 mm Acoustics/Popcorn, Splatter, Medium Knock		
10 mm Acoustics/Popcorn, Large Knockdow		
11 mm	Acoustics/Popcorn, Large Knockdown	
13 mm Acoustics/Popcorn, Large Knockdow		
14 mm	Acoustics/Popcorn, Large Knockdown	





287227 Fine Finish Kit

▶ Includes 3 mm, 6 mm, 8 mm, 9.5 mm Spray Discs, Retaining Nut and Adapter.

248888 3 mm Nozzle 248526 8 mm Nozzle 248524 4 mm Nozzle 248527 10 mm Nozzle

248525 6 mm Nozzle

POLE AND FLEX HEAD POLE GUNS

16A443	5 mm Nozzle	16A448	13 mm Nozzle
16A444	6 mm Nozzle	16A449	14 mm Nozzle
16A445	8 mm Nozzle	16A420	Cap, Nozzle – Soft
16A446	9.5 mm Nozzle	16A405	Cap, Nozzle – Medium
16A447	11 mm Nozzle	16A421	Cap, Nozzle – Hard
		16A246	Fine Finish Adapter

HOSE KITS

24B300 3/4 in x 50 ft (1.9 m x 15 m) Fluid Hose with Remote On/Off Switch

24B326 3/4 in x 50 ft (1.9 m x 15 m) Extension Fluid Hose

CONVERT-A-PUMP KIT

24B140 MaxLife Endurance High Pressure Pump Kit

Includes: High Pressure Lower, Heavy-Duty Texture Gun, 3/8 in x 50 ft Hose

(9.5 mm x 15 m), 1/4 in x 3 ft (25 mm x 0.9 m) 3300 psi Whip Hose and RAC X 643 SwitchTip.

ADDITIONAL ACCESSORIES

287987 25 Gallon (95 Liter) Texture Hopper

243380 Cam-Lock Hose Adapter Connects Texture Hopper to the HTX 2030

High-Output Texture Pump.

24C414 Ball Valve Material Shutoff Kit

For Sprayers: President 10:1, 1030 FC

GUN AND GUN HOSE KIT

235490 10:1 President Air Spray Gun

235737 1030 FC Hose Kit 3/4 in x 50 ft (19 mm x 15 m) Fluid Hose, 1/2 in x 50 ft (13 mm x 15 m) Air Hose.

Texture Sprayer Specifications













		TexSpray RTX 1400sı	TexSpray RTX 2000pi	TexSpray RTX 5000pi	TexSpray RTX 5000px	TexSpray RTX 5500px 240 Volt	TexSpray GTX 2000ex
INCE	Max psi (bar)	70 (4.8)	70 (4.8)	100 (6.9)	100 (6.9)	100 (6.9)	120 (8.3)
PERFORMANCE	Max gpm (lpm)	1.4 (5.3)	2.0 (37.6)	5.0 (19)	5.0 (19)	5.5 (21)	4.0 (15.1)
PERI	Motor	1.7 hp	1.7 hp	2.0 hp	2.0 hp	2.0 hp	N/A
COMPRESSOR	Compressor Air Output	6.1 cfm at 20 psi .17 m³/min	6.1 cfm at 20 psi .17 m³/min	8.6 cfm at 20 psi .24 m³/min	8.6 cfm at 20 psi .24 m³/min	9.1 cfm at 20 psi .26 m³/min	User Supplied Air Compressor Required Minimum Requirements: 12 cfm at 100 psi .33 m³/min
	Gun	Lightweight Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger
S	Hose	3/4 in x 25 ft (19 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1-1/4 in x 25 ft HD (32 mm x 7.5 m)	1-1/4in x 25 ft HD (32 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)
NCLUDES	Max Hose Length	25 ft (7.5 m)	50 ft (15.4 m)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)
INCF	Tips	3 mm, 4 mm, 6 mm, 8 mm round nozzles	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm,12 mm round nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm WS tips, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm nozzles
S	Weight lbs (kg)	63 (28.5)	70 (31.7)	159 (72.1)	163 (73.9)	163 (73.9)	95 (43)
DIMENSIONS	Dimensions	20 W x 24 L x 41 H in (51 W x 61 L x 104 H cm)	22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm)	26 W x 27 L x 40 H in (66 W x 88 L x 102 H cm)
	Hopper gal (liter)	10 (38)	13 (49)	15 (57)	15 (57)	15 (57)	17 (64)
MANUALS	Operation	3A3258	3A3258	3A3265	3A3265	3A3265	313384
MAN	Repair	3A3258	3A3258	3A3265	3A3265	3A3265	313385
TYPICAL APPLICATIONS	Materials Sprayed	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic, drywall mud, elastomerics, deck coatings and some cement-based materials	Simulated acoustic, drywall mud, elastomerics, deck coatings and some cement-based materials	Simulated acoustic, drywall mud, elastomerics, deck coatings and some cement-based materials
AF	Surfaces	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and commercial exteriors	Residential and commercial exteriors	Residential and commercial exteriors
MODEL	Part Number	17H572	17H573	17H575	17H579	17H581	257030



		10:1 President		
RFORMANCE	Max psi (bar)	1000 (70)		
	Max gpm (lpm)	3.0 (11)		
ີ	Motor	President Air		
COMPRESSOR	Compressor Air Output	User Supplied Minimum Air Compressor Rating: 80 cfm at 90 psi for best results		
S	Gun	Heavy-Duty Air Spray		
NCLUDES	Max Hose Length	200 ft (60.7 m)		
	Nozzle	6 mm		
MENSIONS	Weight lbs (kg)	43 (20) Pump Only		
DIMENS	Dimensions	7 w x 57 l x 18 w in (18 w x 145 l cm)		
S Models		306402		
MA	SST Models	309489		
PICAL APPLICATIONS	Materials Sprayed	Smooth to heavily aggregated textures with silica sand, perlite, vermiculite and polystyrene, smooth, medium, coarse and extra coarse grade		
TYPIC	Surfaces	Heavy-duty residential and commercial interiors and exteriors		
MODEL	Part Number	Carbon Steel Complete-225886 Carbon Steel Complete-225877 SST Bare-954088 SST Complete-987429		





		TexSpray HTX 2030 Complete	TexSpray HTX 2030 Complete Plus+	
Part Number		258740	258	8741
	For Spraying	For exterior aggregate and smooth finishes as well as common interior texture finishes such as orange peel, splatter, knockdown and simulated acoustic		nge of heavier
	INCLUDES:			
	High-Output Piston Texture Pump	✓	✓	
IONS	FreeFlo Inline Gun	✓	✓	
IGURAT	3/4 in x 50 ft (19 mm x 15 m) Hose	✓		✓
CONF	55-Gallon Suction Set	✓		✓
SPRAYER CONFIGURATIONS	Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in and 3/8 in Nozzles	✓		✓
	4, 6, 8, 10 mm Nozzles	✓		✓
	RAC X 671 Airless Tip	✓		√
	MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)	✓	
	Heavy-Duty Texture Gun	N/A	1	
	3/8 in x 50 ft (9.5 mm x 15 m) Blue Max II Hose & 3 ft (1 m) Whip Hose	N/A		✓
	RAC X 643 Airless Tip	N/A		✓
		High-Output Texture Pump	With High-Output Texture Pump	With MaxLife Endurance High Pressure Pump
	Maximum Tip Size	0.071	0.071	0.048
	Maximum gpm (lpm)	3.0 (11)	3.0 (11)	2.2 (8.3)
	Maximum psi (bar)	1000 (70)	1000 (70)	3300 (227)
NS	Honda Engine cc (hp at 3600 rpm)	200 (6.5)	200 (6.5)	
TECHNICAL SPECIFICATIONS	Compressor	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results	
CHN	Weight lbs (kg)	155 (70)	155 (70)	150 (68)
=	PUMP:		Y	<u> </u>
	Intake	QuikAccess	QuikAccess	QuikAccess
	Rod	Hard Chrome	Hard Chrome	Chromex
	Sleeve	Hard Chrome	Hard Chrome	MaxLife
	Packings	HD Poly	HD Poly	V-Max Blue

		TexSpray Mark IV		
	Maximum Tip Size	0.033		
	Maximum psi (bar)	3300 (227)		
SPECIFICATIONS	Maximum gpm (lpm)	1.10 (4.1)		
	Motor/Engine	MaxPower 2.2 hp Brushless DC		
	Control	SmartControl 3.0		
	Weight lb (kg)	108 (49)		
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes		

TexSpray Mark V
0.039
3300 (227)
1.35 (5.1)
MaxPower 2.8 hp Brushless DC
SmartControl 3.0
135 (61)
Compressor and Air Atomizer Kit required for some texture finishes











SERIES TYPE		STANDARD	PROCONTRACTOR	
MODEL	Part Number	16W897	16W898	
	Gun	FlexPlus	FlexPlus	
NCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	
N	Tip(s)	RAC X 425	RAC X 425	
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	
	Туре	QuikChange System	ProConnect 2	
PUMP	Rod	Chromex	Chromex	
	Sleeve	Hardened SST	Hardened SST	
		-	QuikReel	
	ADDITIONAL	-	FastFlush	
	SERIES FEATURES	-	LED Display	
	TEATORES	_	WatchDog	
		-	On-Board Toolbox	
MANUAL	Operation	332916	332916	
MAN	Parts	332918	332918	
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	
TY APPLI	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	

STANDARD	PROCONTRACTOR	IRONMAN
16W905	16W906	16X947
Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Texture
3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)
RAC X 427 and 531	RAC X 427 and 531	RAC X 427 and 531
60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2	ProConnect 2
Chromex	Chromex	Chromex
Hardened SST	Hardened SST	MaxLife Extreme Duty
-	QuikReel	Roll Cage Frame
-	FastFlush	LED Display
-	LED Display	WatchDog
_	WatchDog	Flat-Proof Tires
-	On-Board Toolbox	FastFlush
332916	332916	332916
332918	332918	332918
Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials
Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

		TexSpray Mark X 240 Volt
Maximum Tip Size	0.045	
	Maximum psi (bar)	3300 (227)
ONS	Maximum gpm (lpm)	2.10 (7.9)
Maximum gpm (lpm) Motor/Engine Control	MaxPower 4.0 hp Brushless DC	
	SmartControl 3.0	
S	Weight lb (kg)	142 (64)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes





SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	16W908	16X099
	Gun	Heavy-Duty Inline Texture	Heavy-Duty Inline Texture
NCLUDES	Hose	1/2 in x 50 ft (13 mm x 15 m)	1/2 in x 100 ft (13 mm x 30 m)
Ž	Tip(s)	LTX531 and LTX541	LTX531 and LTX541
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST
		-	QuikReel
	ADDITIONAL	-	_
	SERIES FEATURES	-	LED Display
	TEATORES	-	WatchDog
		-	On-Board Toolbox
IUAL	Operation	332916	332916
MANUAI	Parts	332918	332918
TYPICAL PPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials
TY APPL	Surfaces	Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors



_			
		TexSpray 5900 HD	
	Maximum Tip Size	0.043	
	Maximum psi (bar)	3300 (227)	
Maximum gpm (lpm)	1.60 (6.0)		
ICATI	Motor/Engine	Honda 160 cc (5.5 hp)	
SPECIFICATIONS	Control	SmartControl 3.0	
S	Weight lb (kg)	147 (67)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	

TexSpray 7900 HD
0.048
3300 (227)
2.20 (8.3)
Honda 200 cc (6.5 hp)
SmartControl 3.0
159 (72)
Compressor and Air Atomizer Kit required for some texture finishes











SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	16W889	16W882
	Gun	Heavy-Duty Texture	Heavy-Duty Texture
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)
	Tip(s)	LTX427 and LTX531	LTX427 and TX531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST
		-	QuikReel
		_	-
	ADDITIONAL SERIES FEATURES	-	LED Display
	FEATURES	_	WatchDog
		-	On-Board Toolbox
UAL	Operation	332919	332919
MANUAI	Parts	332921	332921
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials
TAPPL	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

STANDARD	PROCONTRACTOR	IRONMAN
16W890	16W888	16X949
Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Texture
3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)
LTX427 and LTX531	LTX427 and LTX531	LTX427 and LTX531
60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2	ProConnect 2
Chromex	Chromex	Chromex
MaxLife Extreme Duty	MaxLife Extreme Duty	MaxLife Extreme Duty
-	QuikReel	Roll Cage Frame
-	-	LED Display
-	LED Display	WatchDog
-	WatchDog	Flat-Proof Tires
-	On-Board Toolbox	
332919	332919	332919
332921	332921	332921
Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials
Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

		TexSpray DutyMax GH 230oı Convertible	
Maximum Tip Size		0.053	
	Maximum psi (bar)	3300 (227)	
SPECIFICATIONS	Maximum gpm (lpm)	2.35 (8.9)	
	Motor/Engine	Honda 200 cc (6.5 hp)	
	Control	-	
	Weight lb (kg)	203 (92)	
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes	

TexSpray DutyMax GH 300bi
0.057
3300 (227)
3.0 (11.4)
Honda 270 cc (9.0 hp)
-
218 (99)
Compressor and Air Atomizer Kit required for some texture finishes









	SERIES TYPE	STANDARD	PROCONTRACTOR
MODEL	Part Number	24W943 Gas Only 24W944 Gas and 120V Electric (non CSA) 24W945 Gas and 120V Electric (CSA)	24W962 Gas Only 24W963 Gas and 120V Electric (non CSA) 24W964 Gas and 120V Electric (CSA) 17G592 Diesel Only
	Gun	Heavy-Duty Texture	Heavy-Duty Texture
INCLUDES	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
	Tip(s)	LTX427 and LTX531	LTX427 and LTX531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
	Туре	QuikChange System	ProConnect 2
PUMP	Rod	Hard Chrome	Hard Chrome
	Sleeve	Hardened SST	MaxLife Extreme Duty
		-	QuikReel
		-	Heavy-Duty Rock Catcher
	ADDITIONAL SERIES FEATURES	-	
	FEATURES	-	
		-	
NAL	Operation		
MAN	Parts		
PICAL CATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials
T APPL	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

STANDARD	PROCONTRACTOR
24W967	24W968
Heavy-Duty Inline	Heavy-Duty Inline
1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless 3/8 in x 3 ft (9.5 mm x 0.9 m) BlueMax II Whip Hose	1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless 3/8 in x 3 ft (9.5 mm x 0.9 m) BlueMax II Whip Hose
LTX643 and WR1239	LTX643 and WR1239
60 Mesh Easy Out	60 Mesh Easy Out
QuikChange System	ProConnect 2
Hard Chrome	Hard Chrome
Hardened SST	MaxLife Extreme Duty
-	QuikReel
-	Heavy-Duty Rock Catcher
-	
-	
-	
Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud and other high-build materials
Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700

Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088

Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001

Tel: 91 124 435 4208 Fax: 91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America Customer Service 800-690-2894 Fax 800-334-6955